

SAFETY DATA SHEET
SPECTRUM BLENDER INK FORMULATION

Page: 1

Compilation date: 19/12/2014

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name:** SPECTRUM BLENDER INK FORMULATION**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet****Company name:** Crafter's Companion

11 Collingwood Street

Coundon

Bishop Auckland

County Durham

DL14 8LG

United Kingdom

Tel: +44 (0)1388 663251**Fax:** +44 (0)1388 663260**Email:** simon.hodges@crafterscompanion.co.uk**1.4. Emergency telephone number****Emergency tel:** +44 (0)1388 663251**Section 2: Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP:** Flam. Liq. 2: H225; Skin Sens. 1: H317**Classification under CHIP:** F: R11; Sens.: R43**Most important adverse effects:** Highly flammable liquid and vapour. May cause an allergic skin reaction.**2.2. Label elements****Label elements under CLP:****Hazard statements:** H225: Highly flammable liquid and vapour.

H317: May cause an allergic skin reaction.

Signal words: Danger**Hazard pictograms:** GHS02: Flame

GHS07: Exclamation mark

**Precautionary statements:** P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P243: Take precautionary measures against static discharge.

[cont...]

Item Numbers: 19913-1001, 19913-1011, 19913-1021, 19913-1031, 19913-1041, 19913-1069, 19913-1201, 19913-1202, 19913-1211, 19913-1212, 19913-1221, 19913-1231, 19913-1232, 19913-1233, 19913-1241, 19913-1242, 19913-1243, 19913-1244, 19913-1249, 19913-1251, 19913-1252, 19913-1253, 19913-1261, 19913-1262, 19913-1271, 19913-1272, 19913-1281, 19913-1282, 19913-1291, 19913-1292, 19913-2001, 19913-2011, 19913-2022, 19913-2023, 19913-2031, 19913-2041, 19913-2051, 19913-2069, 19913-2202, 19913-2211, 19913-2212, 19913-2221, 19913-2222, 19913-2231, 19913-2232, 19913-2241, 19913-2242, 19913-2249, 19913-2251, 19913-2252, 19913-2261, 19913-2262, 19913-2271, 19913-2272, 19913-2273, 19913-2281, 19913-2282, 19913-2283, 19913-2291, 19913-2292, 19913-2293, 19913-2301, 19913-2311, 19913-2321, 19913-2331, 19913-2341, 19913-2351, 19913-2361, 19913-2369, 19913-2801, 19913-2821, 19913-2831, 19913-2841, 19913-2851, 19913-2869, 19913-3001, 19913-3011, 19913-3021, 19913-3031, 19913-3041, 19913-3051, 19913-3069, 19913-3101, 19913-3111, 19913-3121, 19913-3131, 19913-3141, 19913-3151, 19913-3169, 19913-3201, 19913-3202, 19913-3203, 19913-3211, 19913-3212, 19913-3213, 19913-3221, 19913-3222, 19913-3223, 19913-3231, 19913-3232, 19913-3233, 19913-3241, 19913-3242, 19913-3249, 19913-3251, 19913-3252, 19913-3261, 19913-3262, 19913-3271, 19913-3272, 19913-3281, 19913-3282, 19913-3291, 19913-3292, 19913-4001, 19913-4011, 19913-4021, 19913-4031, 19913-4041, 19913-4051, 19913-4069, 19913-4201, 19913-4202, 19913-4203, 19913-4211, 19913-4212, 19913-4213, 19913-4214, 19913-4221, 19913-4222, 19913-4223, 19913-4231, 19913-4232, 19913-4241, 19913-4242, 19913-4249, 19913-4251, 19913-4252, 19913-4261, 19913-4262, 19913-4271, 19913-4272, 19913-4281, 19913-4282, 19913-4291, 19913-4292, 19913-5101, 19913-5111, 19913-5121, 19913-5131, 19913-5141, 19913-5151, 19913-5169, 19913-5901, 19913-5921, 19913-5931, 19913-5951, 19913-5961, 19913-5969, 19913-5991, 19913-6001, 19913-6011, 19913-6021, 19913-6031, 19913-6041, 19913-6051, 19913-6069, 19913-7001, 19913-7011, 19913-7021, 19913-7031, 19913-7041, 19913-7051, 19913-7069, 19913-8001, 19913-8021, 19913-8031, 19913-8041, 19913-8051, 19913-8069, 19913-8071, 19913-8081, 19913-1109, 19913-1119

SAFETY DATA SHEET
SPECTRUM BLENDER INK FORMULATION

Page: 2

- P261: Avoid breathing vapours.
 P272: Contaminated work clothing should not be allowed out of the workplace.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P302+352: IF ON SKIN: Wash with plenty of soap and water.
 P333+313: If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHANOL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	>90%

ROSIN

232-475-7	8050-09-7	-	Skin Sens. 1: H317	1-10%
-----------	-----------	---	--------------------	-------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

[cont...]

Item Numbers: 19913-1001, 19913-1011, 19913-1021, 19913-1031, 19913-1041, 19913-1069, 19913-1201, 19913-1202, 19913-1211, 19913-1212, 19913-1221, 19913-1231, 19913-1232, 19913-1233, 19913-1241, 19913-1242, 19913-1243, 19913-1244, 19913-1249, 19913-1251, 19913-1252, 19913-1253, 19913-1261, 19913-1262, 19913-1271, 19913-1272, 19913-1281, 19913-1282, 19913-1291, 19913-1292, 19913-2001, 19913-2011, 19913-2021, 19913-2022, 19913-2023, 19913-2031, 19913-2041, 19913-2051, 19913-2069, 19913-2202, 19913-2211, 19913-2212, 19913-2221, 19913-2231, 19913-2232, 19913-2241, 19913-2242, 19913-2249, 19913-2251, 19913-2252, 19913-2261, 19913-2262, 19913-2271, 19913-2272, 19913-2273, 19913-2281, 19913-2282, 19913-2283, 19913-2291, 19913-2292, 19913-2293, 19913-2301, 19913-2311, 19913-2321, 19913-2331, 19913-2341, 19913-2351, 19913-2361, 19913-2369, 19913-2801, 19913-2821, 19913-2831, 19913-2841, 19913-2851, 19913-2869, 19913-3001, 19913-3011, 19913-3021, 19913-3031, 19913-3041, 19913-3051, 19913-3069, 19913-3101, 19913-3111, 19913-3121, 19913-3131, 19913-3141, 19913-3151, 19913-3169, 19913-3201, 19913-3202, 19913-3203, 19913-3211, 19913-3212, 19913-3213, 19913-3221, 19913-3222, 19913-3223, 19913-3231, 19913-3232, 19913-3233, 19913-3241, 19913-3242, 19913-3249, 19913-3251, 19913-3252, 19913-3261, 19913-3262, 19913-3271, 19913-3272, 19913-3281, 19913-3282, 19913-3291, 19913-3292, 19913-4001, 19913-4011, 19913-4021, 19913-4031, 19913-4041, 19913-4051, 19913-4069, 19913-4201, 19913-4202, 19913-4203, 19913-4211, 19913-4212, 19913-4213, 19913-4214, 19913-4221, 19913-4222, 19913-4223, 19913-4231, 19913-4232, 19913-4241, 19913-4242, 19913-4249, 19913-4251, 19913-4252, 19913-4261, 19913-4262, 19913-4271, 19913-4272, 19913-4281, 19913-4282, 19913-4291, 19913-4292, 19913-5101, 19913-5111, 19913-5121, 19913-5131, 19913-5141, 19913-5151, 19913-5169, 19913-5901, 19913-5921, 19913-5931, 19913-5951, 19913-5961, 19913-5969, 19913-5991, 19913-6001, 19913-6011, 19913-6021, 19913-6031, 19913-6041, 19913-6051, 19913-6069, 19913-7001, 19913-7011, 19913-7021, 19913-7031, 19913-7041, 19913-7051, 19913-7069, 19913-8001, 19913-8021, 19913-8031, 19913-8041, 19913-8051, 19913-8069, 19913-8071, 19913-8081, 19913-1109, 19913-1119

Page 2 of 8

SAFETY DATA SHEET
SPECTRUM BLENDER INK FORMULATION

Page: 3

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source of ignition and flash back.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions: Refer to section 8 of SDS for personal protection details. Mechanically ventilate the spillage area whilst avoiding the formation of explosive concentrations - see section 9 of SDS. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage**7.1. Precautions for safe handling**

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection**8.1. Control parameters**

[cont...]

Item Numbers: 19913-1001, 19913-1011, 19913-1021, 19913-1031, 19913-1041, 19913-1069, 19913-1201, 19913-1202, 19913-1211, 19913-1212, 19913-1231, 19913-1232, 19913-1233, 19913-1241, 19913-1242, 19913-1243, 19913-1244, 19913-1249, 19913-1251, 19913-1252, 19913-1253, 19913-1261, 19913-1262, 19913-1271, 19913-1272, 19913-1281, 19913-1282, 19913-1291, 19913-1292, 19913-2001, 19913-2011, 19913-2022, 19913-2023, 19913-2031, 19913-2041, 19913-2051, 19913-2069, 19913-2201, 19913-2202, 19913-2211, 19913-2212, 19913-2221, 19913-2222, 19913-2231, 19913-2232, 19913-2241, 19913-2242, 19913-2249, 19913-2251, 19913-2252, 19913-2261, 19913-2262, 19913-2271, 19913-2272, 19913-2273, 19913-2281, 19913-2282, 19913-2283, 19913-2291, 19913-2292, 19913-2293, 19913-2301, 19913-2311, 19913-2321, 19913-2331, 19913-2341, 19913-2351, 19913-2361, 19913-2369, 19913-2801, 19913-2821, 19913-2831, 19913-2841, 19913-2851, 19913-2869, 19913-3001, 19913-3011, 19913-3021, 19913-3031, 19913-3041, 19913-3051, 19913-3069, 19913-3101, 19913-3111, 19913-3121, 19913-3131, 19913-3141, 19913-3151, 19913-3169, 19913-3201, 19913-3202, 19913-3203, 19913-3211, 19913-3212, 19913-3213, 19913-3221, 19913-3222, 19913-3223, 19913-3231, 19913-3232, 19913-3233, 19913-3241, 19913-3242, 19913-3249, 19913-3251, 19913-3252, 19913-3261, 19913-3262, 19913-3271, 19913-3272, 19913-3281, 19913-3282, 19913-3291, 19913-3292, 19913-4001, 19913-4011, 19913-4021, 19913-4031, 19913-4041, 19913-4051, 19913-4069, 19913-4201, 19913-4202, 19913-4203, 19913-4211, 19913-4212, 19913-4213, 19913-4214, 19913-4221, 19913-4222, 19913-4223, 19913-4231, 19913-4232, 19913-4241, 19913-4242, 19913-4249, 19913-4251, 19913-4252, 19913-4261, 19913-4262, 19913-4271, 19913-4272, 19913-4281, 19913-4282, 19913-4291, 19913-4292, 19913-5101, 19913-5111, 19913-5121, 19913-5131, 19913-5141, 19913-5151, 19913-5169, 19913-5901, 19913-5921, 19913-5931, 19913-5951, 19913-5961, 19913-5969, 19913-5991, 19913-6001, 19913-6011, 19913-6021, 19913-6031, 19913-6041, 19913-6051, 19913-6069, 19913-7001, 19913-7011, 19913-7021, 19913-7031, 19913-7041, 19913-7051, 19913-7069, 19913-8001, 19913-8021, 19913-8031, 19913-8041, 19913-8051, 19913-8069, 19913-8071, 19913-8081, 19913-1109, 19913-1119

SAFETY DATA SHEET
SPECTRUM BLENDER INK FORMULATION

Page: 4

Hazardous ingredients:**ETHANOL****Workplace exposure limits:**

State	8 hour TWA	15 min. STEL	Respirable dust	
			8 hour TWA	15 min. STEL
UK	1920 mg/m3	-	-	-

ROSIN

UK	0.05 mg/m3	0.15 mg/m3	-	-
----	------------	------------	---	---

DNEL/PNEC Values**DNEL / PNEC** No data available.**8.2. Exposure controls**

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

State: Liquid

Colour: Various

Viscosity: Non-viscous

Boiling point/range°C: >35

Flash point°C: <21

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity**10.1. Reactivity**

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

[cont...]

Item Numbers: 19913-1001, 19913-1011, 19913-1021, 19913-1031, 19913-1041, 19913-1069, 19913-1201, 19913-1202, 19913-1211, 19913-1212, 19913-1222, 19913-1231, 19913-1232, 19913-1233, 19913-1241, 19913-1242, 19913-1243, 19913-1244, 19913-1249, 19913-1251, 19913-1252, 19913-1253, 19913-1261, 19913-1262, 19913-1271, 19913-1272, 19913-1281, 19913-1282, 19913-1291, 19913-1292, 19913-2001, 19913-2011, 19913-2022, 19913-2023, 19913-2031, 19913-2041, 19913-2051, 19913-2069, 19913-2202, 19913-2211, 19913-2221, 19913-2231, 19913-2232, 19913-2241, 19913-2242, 19913-2249, 19913-2251, 19913-2252, 19913-2261, 19913-2262, 19913-2271, 19913-2272, 19913-2273, 19913-2281, 19913-2282, 19913-2283, 19913-2291, 19913-2292, 19913-2293, 19913-2301, 19913-2311, 19913-2321, 19913-2331, 19913-2341, 19913-2351, 19913-2361, 19913-2369, 19913-2801, 19913-2821, 19913-2831, 19913-2841, 19913-2851, 19913-2869, 19913-3001, 19913-3011, 19913-3021, 19913-3031, 19913-3041, 19913-3051, 19913-3069, 19913-3101, 19913-3111, 19913-3121, 19913-3131, 19913-3141, 19913-3151, 19913-3169, 19913-3201, 19913-3202, 19913-3203, 19913-3211, 19913-3212, 19913-3213, 19913-3221, 19913-3222, 19913-3223, 19913-3231, 19913-3232, 19913-3233, 19913-3241, 19913-3242, 19913-3249, 19913-3251, 19913-3252, 19913-3261, 19913-3262, 19913-3271, 19913-3272, 19913-3281, 19913-3282, 19913-3291, 19913-3292, 19913-4001, 19913-4011, 19913-4021, 19913-4031, 19913-4041, 19913-4051, 19913-4069, 19913-4201, 19913-4202, 19913-4203, 19913-4211, 19913-4212, 19913-4213, 19913-4214, 19913-4221, 19913-4222, 19913-4223, 19913-4231, 19913-4232, 19913-4241, 19913-4242, 19913-4249, 19913-4251, 19913-4252, 19913-4261, 19913-4262, 19913-4271, 19913-4272, 19913-4281, 19913-4282, 19913-4291, 19913-4292, 19913-5101, 19913-5111, 19913-5121, 19913-5131, 19913-5141, 19913-5151, 19913-5169, 19913-5901, 19913-5921, 19913-5931, 19913-5951, 19913-5961, 19913-5969, 19913-5991, 19913-6001, 19913-6011, 19913-6021, 19913-6031, 19913-6041, 19913-6051, 19913-6069, 19913-7001, 19913-7011, 19913-7021, 19913-7031, 19913-7041, 19913-7051, 19913-7069, 19913-8001, 19913-8021, 19913-8031, 19913-8041, 19913-8051, 19913-8069, 19913-8071, 19913-8081, 19913-1109, 19913-1119

Page 4 of 8

SAFETY DATA SHEET
SPECTRUM BLENDER INK FORMULATION

Page: 5

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information**11.1. Information on toxicological effects****Hazardous ingredients:****ETHANOL**

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information**12.1. Toxicity**

Ecotoxicity values: No data available.

12.2. Persistence and degradability**12.3. Bioaccumulative potential****12.4. Mobility in soil**

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

[cont...]

Item Numbers: 19913-1001, 19913-1011, 19913-1021, 19913-1031, 19913-1041, 19913-1069, 19913-1201, 19913-1202, 19913-1211, 19913-1221, 19913-1231, 19913-1232, 19913-1233, 19913-1241, 19913-1242, 19913-1243, 19913-1244, 19913-1249, 19913-1251, 19913-1252, 19913-1253, 19913-1261, 19913-1262, 19913-1271, 19913-1272, 19913-1281, 19913-1282, 19913-1291, 19913-1292, 19913-2001, 19913-2011, 19913-2022, 19913-2023, 19913-2031, 19913-2041, 19913-2051, 19913-2069, 19913-2201, 19913-2202, 19913-2211, 19913-2212, 19913-2221, 19913-2231, 19913-2232, 19913-2241, 19913-2242, 19913-2249, 19913-2251, 19913-2252, 19913-2261, 19913-2262, 19913-2271, 19913-2272, 19913-2273, 19913-2281, 19913-2282, 19913-2283, 19913-2288, 19913-2291, 19913-2292, 19913-2293, 19913-2301, 19913-2311, 19913-2321, 19913-2331, 19913-2341, 19913-2351, 19913-2361, 19913-2369, 19913-2801, 19913-2821, 19913-2831, 19913-2841, 19913-2851, 19913-2869, 19913-3001, 19913-3011, 19913-3021, 19913-3031, 19913-3041, 19913-3051, 19913-3069, 19913-3101, 19913-3111, 19913-3121, 19913-3131, 19913-3141, 19913-3151, 19913-3169, 19913-3201, 19913-3202, 19913-3203, 19913-3211, 19913-3212, 19913-3213, 19913-3221, 19913-3222, 19913-3223, 19913-3231, 19913-3232, 19913-3233, 19913-3241, 19913-3242, 19913-3249, 19913-3251, 19913-3252, 19913-3261, 19913-3262, 19913-3271, 19913-3272, 19913-3281, 19913-3282, 19913-3291, 19913-3292, 19913-4001, 19913-4011, 19913-4021, 19913-4031, 19913-4041, 19913-4051, 19913-4069, 19913-4201, 19913-4202, 19913-4203, 19913-4211, 19913-4212, 19913-4213, 19913-4214, 19913-4221, 19913-4222, 19913-4223, 19913-4231, 19913-4232, 19913-4241, 19913-4242, 19913-4249, 19913-4251, 19913-4252, 19913-4261, 19913-4262, 19913-4271, 19913-4272, 19913-4281, 19913-4282, 19913-4291, 19913-4292, 19913-5101, 19913-5111, 19913-5121, 19913-5131, 19913-5141, 19913-5151, 19913-5169, 19913-5901, 19913-5921, 19913-5931, 19913-5951, 19913-5961, 19913-5969, 19913-5991, 19913-6001, 19913-6011, 19913-6021, 19913-6031, 19913-6041, 19913-6051, 19913-6069, 19913-7001, 19913-7011, 19913-7021, 19913-7031, 19913-7041, 19913-7051, 19913-7069, 19913-8001, 19913-8021, 19913-8031, 19913-8041, 19913-8051, 19913-8069, 19913-8071, 19913-8081, 19913-1109, 19913-1119

SAFETY DATA SHEET
SPECTRUM BLENDER INK FORMULATION

Page: 6

Section 13: Disposal considerations**13.1. Waste treatment methods**

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information**14.1. UN number**

UN number: UN1993

14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.
(ETHANOL)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: II

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.2. Chemical Safety Assessment****Section 16: Other information****Other information**

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H317: May cause an allergic skin reaction.

R11: Highly flammable.

R43: May cause sensitisation by skin contact.

[cont...]

SAFETY DATA SHEET
SPECTRUM BLENDER INK FORMULATION

Page: 7

Legend to abbreviations: PNEC = predicted no effect level
DNEL = derived no effect level
LD50 = median lethal dose
LC50 = median lethal concentration
EC50 = median effective concentration
IC50 = median inhibitory concentration
dw = dry weight
bw = body weight
cc = closed cup
oc = open cup
MUS = mouse
GPG = guinea pig
RBT = rabbit
HAM = hamster
HMN = human
MAM = mammal
PGN = pigeon
IVN = intravenous
SCU = subcutaneous
SKN = skin
DRM = dermal
OCC = ocular/corneal
PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]

Item Numbers: 19913-1001, 19913-1011, 19913-1021, 19913-1031, 19913-1041, 19913-1069, 19913-1201, 19913-1202, 19913-1211, 19913-1212, 19913-1231, 19913-1232, 19913-1233, 19913-1241, 19913-1242, 19913-1243, 19913-1244, 19913-1249, 19913-1251, 19913-1252, 19913-1253, 19913-1261, 19913-1262, 19913-1271, 19913-1272, 19913-1281, 19913-1282, 19913-1291, 19913-1292, 19913-2001, 19913-2011, 19913-2021, 19913-2022, 19913-2023, 19913-2031, 19913-2041, 19913-2051, 19913-2069, 19913-2201, 19913-2202, 19913-2211, 19913-2212, 19913-2221, 19913-2222, 19913-2231, 19913-2232, 19913-2241, 19913-2242, 19913-2249, 19913-2251, 19913-2252, 19913-2261, 19913-2262, 19913-2271, 19913-2272, 19913-2273, 19913-2281, 19913-2282, 19913-2283, 19913-2291, 19913-2292, 19913-2293, 19913-2301, 19913-2311, 19913-2321, 19913-2331, 19913-2341, 19913-2351, 19913-2361, 19913-2369, 19913-2801, 19913-2821, 19913-2831, 19913-2841, 19913-2851, 19913-2869, 19913-3001, 19913-3011, 19913-3021, 19913-3031, 19913-3041, 19913-3051, 19913-3069, 19913-3101, 19913-3111, 19913-3121, 19913-3131, 19913-3141, 19913-3151, 19913-3169, 19913-3201, 19913-3202, 19913-3203, 19913-3211, 19913-3212, 19913-3213, 19913-3221, 19913-3222, 19913-3223, 19913-3231, 19913-3232, 19913-3233, 19913-3241, 19913-3242, 19913-3249, 19913-3251, 19913-3252, 19913-3261, 19913-3262, 19913-3271, 19913-3272, 19913-3281, 19913-3282, 19913-3291, 19913-3292, 19913-4001, 19913-4011, 19913-4021, 19913-4031, 19913-4041, 19913-4051, 19913-4069, 19913-4201, 19913-4202, 19913-4203, 19913-4211, 19913-4212, 19913-4213, 19913-4214, 19913-4221, 19913-4222, 19913-4223, 19913-4231, 19913-4232, 19913-4241, 19913-4242, 19913-4249, 19913-4251, 19913-4252, 19913-4261, 19913-4262, 19913-4271, 19913-4272, 19913-4281, 19913-4282, 19913-4291, 19913-4292, 19913-5101, 19913-5111, 19913-5121, 19913-5131, 19913-5141, 19913-5151, 19913-5169, 19913-5901, 19913-5921, 19913-5931, 19913-5951, 19913-5961, 19913-5969, 19913-5991, 19913-6001, 19913-6011, 19913-6021, 19913-6031, 19913-6041, 19913-6051, 19913-6069, 19913-7001, 19913-7011, 19913-7021, 19913-7031, 19913-7041, 19913-7051, 19913-7069, 19913-8001, 19913-8021, 19913-8031, 19913-8041, 19913-8051, 19913-8069, 19913-8071, 19913-8081, 19913-1109, 19913-1119

Page 7 of 8

Item Numbers: 19913-1001, 19913-1011, 19913-1021, 19913-1031, 19913-1041, 19913-1069, 19913-1201, 19913-1202, 19913-1211, 19913-1212, 19913-1221, 19913-1231, 19913-1232, 19913-1233, 19913-1241, 19913-1242, 19913-1243, 19913-1244, 19913-1249, 19913-1251, 19913-1252, 19913-1253, 19913-1261, 19913-1262, 19913-1271, 19913-1272, 19913-1281, 19913-1282, 19913-1291, 19913-1292, 19913-2001, 19913-2011, 19913-2021, 19913-2022, 19913-2023, 19913-2031, 19913-2041, 19913-2051, 19913-2069, 19913-2201, 19913-2202, 19913-2211, 19913-2212, 19913-2221, 19913-2222, 19913-2231, 19913-2232, 19913-2241, 19913-2242, 19913-2249, 19913-2251, 19913-2252, 19913-2261, 19913-2262, 19913-2271, 19913-2272, 19913-2273, 19913-2281, 19913-2282, 19913-2283, 19913-2291, 19913-2292, 19913-2293, 19913-2301, 19913-2311, 19913-2321, 19913-2331, 19913-2341, 19913-2351, 19913-2361, 19913-2369, 19913-2801, 19913-2821, 19913-2831, 19913-2841, 19913-2851, 19913-2869, 19913-3001, 19913-3011, 19913-3021, 19913-3031, 19913-3041, 19913-3051, 19913-3069, 19913-3101, 19913-3111, 19913-3121, 19913-3131, 19913-3141, 19913-3151, 19913-3169, 19913-3201, 19913-3202, 19913-3203, 19913-3211, 19913-3212, 19913-3213, 19913-3221, 19913-3222, 19913-3223, 19913-3231, 19913-3232, 19913-3233, 19913-3241, 19913-3242, 19913-3249, 19913-3251, 19913-3252, 19913-3261, 19913-3262, 19913-3271, 19913-3272, 19913-3281, 19913-3282, 19913-3291, 19913-3292, 19913-4001, 19913-4011, 19913-4021, 19913-4031, 19913-4041, 19913-4051, 19913-4069, 19913-4201, 19913-4202, 19913-4203, 19913-4211, 19913-4212, 19913-4213, 19913-4214, 19913-4221, 19913-4222, 19913-4223, 19913-4231, 19913-4232, 19913-4241, 19913-4242, 19913-4249, 19913-4251, 19913-4252, 19913-4261, 19913-4262, 19913-4271, 19913-4272, 19913-4281, 19913-4282, 19913-4291, 19913-4292, 19913-5101, 19913-5111, 19913-5121, 19913-5131, 19913-5141, 19913-5151, 19913-5169, 19913-5901, 19913-5921, 19913-5931, 19913-5951, 19913-5961, 19913-5969, 19913-5991, 19913-6001, 19913-6011, 19913-6021, 19913-6031, 19913-6041, 19913-6051, 19913-6069, 19913-7001, 19913-7011, 19913-7021, 19913-7031, 19913-7041, 19913-7051, 19913-7069, 19913-8001, 19913-8021, 19913-8031, 19913-8041, 19913-8051, 19913-8069, 19913-8071, 19913-8081, 19913-1109, 19913-1119